

Product # _____ Type _____ Date _____

Project Name _____

Project Location _____ Prepared By _____

Promenade - LED

Housing

Decorative round die-cast housing made from corrosion resistant low copper aluminum. Post base is constructed from extruded aluminum tubing.

Finish

Anthracite (textured charcoal gray) powder coat paint finish (close to RAL 9007). Other optional paint finishes available.

Optical Assembly

Concealed—low glare diffuser lens (UV stabilized acrylic)

Lamping

High efficacy AC LED or RGBW.

Installation & Mounting

Luminaire shall be completely pre-wired for ease of installation. Installation by using three 9" anchor bolts, leveling nuts and washers.

Warranty & Certifications



Luminaire shall be certified for Indoor/Outdoor use, wet locations, to meet UL 1598 standards and CSA Std. C22.2 NO.250.

Electrical Assembly

Low Glare diffuser lens employing 14W or 23W AC LED

14W AC LED = 0.50 fc @ 7 feet; Recommended spacing 14 ft for 1.0 fc avg.


23W AC LED = 0.50 fc @ 9 feet; Recommended spacing 18 ft for 1.0 fc avg.



Promenade - LED

Photometrics



PROMENADE 14W FOOT CANDLE ISOLINE



**BOLLARD FOOT CANDLE
COLOR CODE**

FOOT CANDLES	COLOR CODE
20	Dark Green
10	Orange
5	Purple
2	Magenta
1	Blue
0.5	Bright Green
0.2	Red
0.1	Black

PROMENADE 23W FOOT CANDLE ISOLINE



Promenade - LED

PROMENADE POWER AND LUMEN DATA						
SYSTEM WATTS (W)	LED POWER (W)	COLOR TEMP (K)	LED LUMENS (+/- 5%)	LED LUMENS/WATT	LUMINAIRE LUMENS (+/- 5%)	LUMINAIRE LUMENS/WATT
14	12	3000	1350	96	563	40
14	12	4000	1400	100	584	42
23	20	3000	1850	80	772	34
23	20	4000	1900	82	793	34

Ordering Guide

Model	Lamp Wattage	CCT Color Temp	Input VAC	Lighting Control	Finishes
PMD - Promenade	14 - 14 W AC	30K - 3000K	120 - 120 VAC	ND - Non Dimming	AN - Anthracite (Charcoal Gray)
	23 - 23W AC	40K - 4000K	277 - 277 VAC	DIM - Dimming	GR - Gray
		RGBW - Consult Factory			BZ - Bronze
					WT - White
					BK - Black
					SV - Silver

Due to continuing efforts to improve our products, North Star Lighting reserves the right to make changes to this product at any time without prior notice.

